Hydric Soils Ulster County, New York

[This report lists only those map unit components that are rated as hydric. Dashes (---) in any column indicate that the data were not included in the database. Definitions of hydric criteria codes are included at the end of the report]

Map symbol and map unit name	Component 	Percent of map unit 	Landform	 Hydric rating 	Hydric criteria
Aa:					
Alluvial land	Fluvaquents	45		Yes	2B3, 3, 4
At: Atherton silt loam	 Atherton			 Yes	 2B3, 3
-	į	į		į	į
Cc: Canandaigua silt loam	 Canandaigua	80		 Yes	 2B3, 3
Cd: Canandaigua silt loam, till substratum	 Canandaigua 	80		 Yes 	 2B3, 3
Ce:				 	
Carlisle muck	Carlisle	75		Yes	1, 3
Fw:					
Fresh water marsh	Medisaprists 	45		Yes	1, 3
	Hydraquents	35		Yes	2B3, 3
Lm:	İ	i i		i	İ
Lamson fine sandy loam	Lamson	80		Yes	2B3, 3

	I	ı	I	ı	ı
Ly: Lyons-Atherton complex, very stony	 Lyons	 45	 	 Yes 	 2B3, 3
	 Atherton	 30	 	 Yes	 2B3, 3
Ma: Madalin silty clay loam	 Madalin	 80	 	 Yes 	 2B3, 3
Mn: Menlo silt loam	 Menlo	 80	 	 Yes	 2B3, 3
Mo: Menlo very bouldery soils	 Menlo	 80	 	 Yes	 2B3, 3
Pa: Palms muck	 Palms	, 75	 	 Yes	 1, 3
Pb: Palms muck, bedrock variant	 Palms variant	 80	 	 Yes	 1, 3
Wb: Wayland silt loam	 Wayland	 80	 	 Yes	 2B3, 3, 4
Wc: Wayland mucky silt loam	 Wayland 	 80 	 	 Yes 	 2B3, 3, 4
	-·	. ———	· —————	· ———	. — — — — — — — — — — — — — — — — — — —

Explanation of hydric criteria codes:

- 1. All Histels except for Folistels, and Histosols except for Folists.
- 2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Historthels great group, Histoturbels great group, Pachic subgroups, or Cumulic subgroups that:
 - A. are somewhat poorly drained and have a water table at the surface (0.0 feet) during the growing season, or
 - B. are poorly drained or very poorly drained and have either:
 - 1.) a water table at the surface (0.0 feet) during the growing season if textures are coarse sand, sand, or fine sand in all layers within a depth of 20 inches, or
 - 2.) a water table at a depth of 0.5 foot or less during the growing season if permeability is equal to or greater than 6.0 in/hr in all layers within a depth of 20 inches, or
 - 3.) a water table at a depth of 1.0 foot or less during the growing season if permeability is less than 6.0 in/hr in any layer within a depth of 20 inches.
- 3. Soils that are frequently ponded for long or very long duration during the growing season.
- 4. Soils that are frequently flooded for long or very long duration during the growing season.